















# 配水用ポリエチレン

## 配水用ポリエチレン管システム



ポリエチレン管

フレキシブル管

鋼管

鋳鉄管

導管保全

配管作業工具

給湯給水樹脂管  
配水用ポリエチレン

# 配水用ポリエチレン

ポリエチレン管

フレキシブル管

鋼管

鋳鉄管

導管保全












配管作業工具

配水用ポリエチレン

給湯給水樹脂管

## 管及び管継手品目表

単位:mm

| 品名       | 主呼び径<br>枝呼び径等               |  | 写真   | 50 | 75 | 100 | 150 | 200 |
|----------|-----------------------------|--|--|----|----|-----|-----|-----|
|          |                             |  |  |    |    |     |     |     |
| 直管       |                             |  |    | ○  | ○  | ○   | ○   | ○   |
| EF片受直管   |                             |  |    | ○  | ○  | ○   | ○   | ○   |
| EFソケット   |                             |  |     | ○  | ○  | ○   | ○   | ○   |
| EFバンド    | 90°、45°、<br>22° 1/2、11° 1/4 |  |    | ○  | ○  | ○   | ○   | ○   |
| EF片受バンド  | 90°、45°、<br>22° 1/2、11° 1/4 |  |    | ○  | ○  | ○   | ○   | ○   |
| ショートバンド  | 90°、45°、<br>22° 1/2、11° 1/4 |  |   | ○  |    |     |     | ○   |
| EF Sバンド  | 300H、450H、600H              |  |  | ○  | ○  | ○   | ○   | ○   |
| EF片受Sバンド | 300H、450H、600H              |  |  | ○  | ○  | ○   | ○   | ○   |
| Sバンド     | 300H、450H、600H              |  |  | ○  |    |     |     | ○   |
| EFチーズ    | ×50                         |  |  | ○  | ○  | ○   |     |     |
|          | ×75                         |  |  |    | ○  | ○   | ○   | ○   |
|          | ×100                        |  |  |    |    | ○   | ○   | ○   |
|          | ×150                        |  |  |    |    |     | ○   | ○   |
|          | ×200                        |  |  |    |    |     |     | ○   |
| EF片受チーズ  | ×50                         |  |  | ○  |    |     |     |     |
|          | ×75                         |  |  |    |    |     | ○   |     |
|          | ×100                        |  |  |    |    |     | ○   |     |
|          | ×150                        |  |  |    |    |     | ○   |     |
|          | ×200                        |  |  |    |    |     |     |     |

管・継手

# 配水用ポリエチレン

| 品名           | 主呼び径  |     | 写真  | 50 | 75 | 100 | 150 | 200 |
|--------------|-------|-----|---|----|----|-----|-----|-----|
|              | 枝呼び径等 |     |   |    |    |     |     |     |
| チーズ          | ×     | 50  |    | ○  |    |     |     |     |
|              | ×     | 75  |   |    |    |     |     | ○   |
|              | ×     | 100 |   |    |    |     |     | ○   |
|              | ×     | 150 |   |    |    |     |     | ○   |
|              | ×     | 200 |   |    |    |     |     | ○   |
| EF片受レジューサ    | ×     | 50  |    |    | ○  | ○   |     |     |
|              | ×     | 75  |   |    |    | ○   |     | ○   |
|              | ×     | 100 |   |    |    |     | ○   | ○   |
|              | ×     | 150 |   |    |    |     |     | ○   |
| レジューサ        | ×     | 50  |    |    | ○  | ○   |     |     |
|              | ×     | 75  |   |    |    | ○   |     | ○   |
|              | ×     | 100 |   |    |    |     | ○   | ○   |
|              | ×     | 150 |   |    |    |     |     | ○   |
| EFキャップ       |       |     |  | ○  | ○  | ○   | ○   | ○   |
| キャップ         |       |     |  | ○  | ○  | ○   | ○   | ○   |
| フランジ付EFチーズ   | ×     | 75  |  |    | ○  | ○   | ○   | ○   |
|              | ×     | 100 |   |    |    |     | ○   | ○   |
| EF片受フランジ付チーズ | ×     | 75  |  |    |    |     | ○   |     |
|              | ×     | 100 |   |    |    |     | ○   |     |
| フランジ付チーズ     | ×     | 75  |  |    |    |     |     | ○   |
|              | ×     | 100 |   |    |    |     |     | ○   |
| EFフランジ       |       |     |  | ○  | ○  | ○   | ○   | ○   |
| フランジ         |       |     |  | ○  | ○  | ○   | ○   | ○   |
| PE挿し口付フランジ短管 |       |     |  | ○  | ○  | ○   | ○   | ○   |

管・継手

ポリエチレン管

フレキシブル管

鋼管

鑄鉄管

導管保全

配管作業工具

配水用ポリエチレン

給湯給水樹脂管

# 配水用ポリエチレン

ポリエチレン管

フレキシブル管

鋼管

鋳鉄管

導管保全

配管作業工具

配水用ポリエチレン

給湯給水樹脂管

| 品名                  | 主呼び径      |  | 写真  | 50 | 75 | 100 | 150 | 200 |   |
|---------------------|-----------|--|---|----|----|-----|-----|-----|---|
|                     | 枝呼び径等     |  |   |    |    |     |     |     |   |
| ダクタイル鋳鉄管用<br>異種管継手  | GX形       | ×50 (PE側)  |   |    | ○  | ○   |     |     |   |
|                     |           | ×75 (PE側)  |   |    | ○  | ○   |     |     |   |
|                     |           | ×100 (PE側)   |   |    |    |     | ○   | ○   |   |
|                     |           | ×150 (PE側)   |   |    |    |     |     | ○   |   |
|                     |           | ×200 (PE側)   |   |    |    |     |     |     | ○ |
|                     | NS形       | ×50 (PE側)  |   |    | ○  | ○   |     |     |   |
|                     |           | ×75 (PE側)  |   |    | ○  | ○   |     |     |   |
|                     |           | ×100 (PE側)   |   |    |    | ○   | ○   |     |   |
|                     |           | ×150 (PE側)   |   |    |    |     | ○   |     |   |
|                     |           | ×200 (PE側)   |   |    |    |     |     |     | ○ |
|                     | K形        | ×50 (PE側)  |  |    | ○  | ○   |     |     |   |
|                     |           | ×75 (PE側)  |   |    | ○  | ○   |     |     |   |
|                     |           | ×100 (PE側)   |   |    |    | ○   | ○   |     |   |
|                     |           | ×150 (PE側)   |   |    |    |     | ○   |     |   |
|                     |           | ×200 (PE側)   |   |    |    |     |     |     | ○ |
| T形                  | ×50 (PE側) |  | ○   |    |    |     |     |     |   |
| PVC管用異種管継手          |           |  | ○   | ○  | ○  | ○   |     |     |   |
| PE挿し口付<br>鋳鉄製T字管    | ×75       |  |   | ○  | ○  | ○   | ○   |     |   |
|                     | ×100      |  |   |    |    | ○   | ○   |     |   |
| PE挿し口付<br>ソフトシール仕切弁 |           |  | ○   | ○  | ○  | ○   | ○   |     |   |

管・継手